

NSW Threatened Species Scientific Committee

Final Determination

Minor amendments to the lists of threatened species and ecological communities in the Schedules of the *Biodiversity Conservation Act 2016*

The Threatened Species Scientific Committee, established under the *Biodiversity Conservation Act 2016* (the Act), has made a final determination to amend the list of species and ecological communities in Schedules 1, 2 and 3 of the Act referred to in paragraphs (a) and (b) below. Minor amendments to the Schedules are provided for by section 4.19 of Part 4 of the Act.

a) The Threatened Species Scientific Committee is of the opinion that the following amendments are necessary or desirable to reflect a change in the name of a listed species or a reclassification of a listed species into further species as a result of taxonomic revision:

The references cited contain the reasons for these amendments in the Schedules.

Schedule 1 Threatened species **Part 1 Critically endangered species**

Division 1 Animals

Vertebrates

Birds

Charadriidae

Omit	* <i>Thinornis rubricollis</i> (Gmelin, 1789) Hooded Plover
Insert	* <i>Thinornis cucullatus cucullatus</i> (Vieillot, 1818) Eastern Hooded Dotterel, Eastern Hooded Plover
Reference	ABRS 2009. <i>Australian Faunal Directory</i> . Australian Biological Resources Study, Canberra. M Lockett Australian Biological Resources Study <i>in litt.</i> 14/7/2020

Division 2 Plants

Omit	<i>Prasophyllum</i> sp. Majors Creek (Jones 11084)
Insert	<i>Prasophyllum sandrae</i> D.L.Jones
Reference	Jones D.L. (2019) Two new species of <i>Prasophyllum</i> R.Br. in the <i>P. patens</i> R.Br./ <i>P.odoratum</i> R.S.Rogers complex from south-eastern NSW South Wales and Australian Capital Territory. <i>Australian Orchid Review</i> 84(2):37-39

NSW Threatened Species Scientific Committee

Schedule 1 Threatened species

Part 2 Endangered species

Division 3 Plants

Fabaceae

Omit	* <i>Acacia terminalis</i> (Salisb.) J.F. Macbr. subsp. <i>terminalis</i>
Insert	* <i>Acacia terminalis</i> subsp. Eastern Sydney (G.P.Phillips 126)
Reference	Council of Heads of Australasian Herbaria (2012) Australian Plant Census https://biodiversity.org.au/nsl/services/APC Accessed: 9 June 2020

Lamiaceae

Omit	<i>Prostanthera staurophylla</i> F. Muell. sensu stricto
Insert	<i>Prostanthera staurophylla</i> F.Muell.
Reference	Hunter, J.T., Williams, J.B. & Conn, B.J. (2006), Rediscovery of <i>Prostanthera staurophylla</i> F.Muell. and reinstatement of <i>P. teretifolia</i> Maiden & Betche (Lamiaceae). <i>Telopea</i> 11(2): 119-121.

Myrtaceae

Omit	<i>Choricarpia subargentea</i> (C. White) L. Johnson
Insert	<i>Backhousia subargentea</i> (C.T.White) M.G.Harr.
Reference	Harrington, M.G., Jackes, B.R., Barrett, M.D., Craven, L.A. & Barrett, R.L. (2012), Phylogenetic revision of Backhousieae (Myrtaceae): Neogene divergence, a revised circumscription of <i>Backhousia</i> and two new species. <i>Australian Systematic Botany</i> 25:414

NSW Threatened Species Scientific Committee

Schedule 1 Threatened species

Part 3 Vulnerable species

Division 3 Plants

Ericaceae

Omit	* <i>Budawangia gnidioides</i> (Summerh.) Telford
Insert	* <i>Epacris gnidioides</i> (Summerh.) E.A.Br.
Reference	Quinn, C. J., Crowden, R. K., Brown, E. A., Southam, M. J., Thornhill, A. H., & Crayn, D. M. (2015). A reappraisal of the generic concepts of <i>Epacris</i> , <i>Rupicola</i> and <i>Budawangia</i> (Ericaceae, Epacridoideae, Epacrideae) based on phylogenetic analysis of morphological and molecular data. <i>Australian Systematic Botany</i> , 28(1), 63-77

Polygonaceae

Omit	<i>Muehlenbeckia costata</i> K.L. Wilson and Makinson ms
Insert	<i>Muehlenbeckia</i> sp. Mt Norman (J.T.Hunter 3847) Makinson
Reference	Council of Heads of Australasian Herbaria (2012) Australian Plant Census https://biodiversity.org.au/nsl/services/APC Accessed: 4 June 2020

NSW Threatened Species Scientific Committee

Schedule 2 Threatened ecological communities

Part 2 Endangered ecological communities

Omit	<i>Halosarcia lylei</i> low open-shrubland in the Murray Darling Depression Bioregion (as described in the determination of the Scientific Committee under Division 5 of Part 2 of the TSC Act)
Insert	<i>Tecticornia lylei</i> , Wiry Glasswort, low open-shrubland in the Murray Darling Depression Bioregion (as described in the determination of the Scientific Committee under Division 5 of Part 2 of the TSC Act relating to <i>Halosarcia lylei</i> low open-shrubland in the Murray Darling Depression Bioregion)
Reference	Shepherd, K.A. & Wilson, Paul G. (2007), Incorporation of the Australian genera <i>Halosarcia</i> , <i>Pachycornia</i> , <i>Sclerostegia</i> and <i>Tegicornia</i> into <i>Tecticornia</i> (Salicornioideae, Chenopodiaceae). Australian Systematic Botany 20(4):327

NSW Threatened Species Scientific Committee

b) The Threatened Species Scientific Committee is of the opinion that the following amendments are necessary or desirable to correct a minor error or omission:

Schedule 1 Threatened species

Part 1 Critically endangered species

Division 1 Animals

Vertebrates

Amphibians

Family

Hylidae

Current name in Schedule

**Litoria piperata* Tyler & Davis, 1985

Correct Authority

**Litoria piperata* Tyler & Davies, 1985

Invertebrates

Arthropoda

Insecta

Current name of taxonomic Order in Schedule

Phasmatodea

Correct Order

Phasmida

NSW Threatened Species Scientific Committee

Division 2 Plants

Family	Current name in Schedule	Correct Authority and text spacing
Fabaceae	* <i>Pultenaea elusa</i> (J.D. Briggs & Crisp) R.P.J. de Kok	* <i>Pultenaea elusa</i> (J.D.Briggs & Crisp) de Kok
Gentianaceae	* <i>Gentiana wingecarribiensis</i> L. Adams	* <i>Gentiana wingecarribiensis</i> L.G.Adams
Rhamnaceae	* <i>Pomaderris delicata</i> N.G. Walsh & F. Coates	* <i>Pomaderris delicata</i> N.G.Walsh & Coates
	* <i>Pomaderris reperta</i> N.G. Walsh & F. Coates	* <i>Pomaderris reperta</i> N.G.Walsh & Coates
	<i>Pomaderris walshii</i> J.C. Millott & K.L. McDougall	<i>Pomaderris walshii</i> Millott & K.L.McDougall

NSW Threatened Species Scientific Committee

Schedule 1 Threatened species

Part 2 Endangered species

Division 1 Animals

Vertebrates

Reptiles

Family	Current name in Schedule	Correct Authority
Diplodactylidae	<i>Amalosia rhombifer</i> (J.E. Gray, 1845)	<i>Amalosia rhombifer</i> (Gray, 1845)
Scincidae	<i>Ctenotus pantherinus ocellifer</i> (Peters, 1866)	<i>Ctenotus pantherinus ocellifer</i> (Boulenger, 1896)

Birds

Family	Current name in Schedule	Correct Authority
Anatidae	<i>Nettapus coromandelianus</i> (J.F. Gmelin, 1789)	<i>Nettapus coromandelianus</i> (Gmelin, 1789)
Procellariidae	* <i>Macronectes giganteus</i> (J.F. Gmelin, 1789)	* <i>Macronectes giganteus</i> (Gmelin, 1789)

Invertebrates

Mollusca

	Current name of taxonomic Phylum in Schedule	Correct name of Phylum
	Molluscs	Mollusca

Family	Current name in Schedule	Correct Authority
Camaenidae	<i>Meridolum corneovirens</i> (Pfeiffer, 1851) <i>Meridolum maryae</i> (Clarke, 2009)	<i>Meridolum corneovirens</i> (Pfeiffer, 1851) <i>Meridolum maryae</i> (Clark, 2009)

NSW Threatened Species Scientific Committee

Arthropoda

Insecta

Coleoptera

Family Current name in Schedule
Carabidae *Nurus atlas* Castelnau, 1867

Correct Authority
Nurus atlas (Castelnau, 1867)

NSW Threatened Species Scientific Committee

Lepidoptera

Family	Current name in Schedule	Correct Authority
Hesperiidae	<i>Ocybadistes knightorum</i> (Lambkin & Donaldson, 1994)	<i>Ocybadistes knightorum</i> Lambkin & Donaldson, 1994
Lycaenidae	* <i>Paralucia spinifera</i> Edwards and Common, 1978	* <i>Paralucia spinifera</i> Edwards & Common, 1978

Odonata

Family	Current name in Schedule	Correct Authority
Petaluridae	<i>Petalura gigantea</i> (Leach, 1815) <i>Petalura litorea</i> Theischinger 1999	<i>Petalura gigantea</i> Leach, 1815 <i>Petalura litorea</i> Theischinger, 1999

Division 3 Plants

Acanthaceae	<i>Dipteracanthus australasicus</i> subsp. <i>corynothecus</i> (F. Muell. ex Benth.) R. Barker * <i>Isoglossa eranthemoides</i> (F. Muell.) R. Barker * <i>Xerothamnella parvifolia</i> C. White	<i>Dipteracanthus australasicus</i> subsp. <i>corynothecus</i> (F. Muell. ex Benth.) R.M. Barker * <i>Isoglossa eranthemoides</i> (F. Muell.) R.M. Barker * <i>Xerothamnella parvifolia</i> C.T. White
Araliaceae	<i>Astrotricha cordata</i> A. Bean	<i>Astrotricha cordata</i> A.R. Bean
Asteraceae	* <i>Calotis moorei</i> P. Short <i>Leptorhynchos waitzia</i> Sonder * <i>Olearia flocktoniae</i> Maiden & E. Betche	* <i>Calotis moorei</i> P.S. Short <i>Leptorhynchos waitzia</i> Sond. * <i>Olearia flocktoniae</i> Maiden & Betche
Campanulaceae	<i>Wahlenbergia scopulicola</i> Carolin ex P.J. Smith	<i>Wahlenbergia scopulicola</i> Carolin ex P.J. Sm.
Capparaceae	<i>Capparis loranthifolia</i> Lindley var. <i>loranthifolia</i> <i>Polycarpaea spirostylis</i> subsp. <i>glabra</i> (C. White & Francis) Pedley	<i>Capparis loranthifolia</i> Lindl. var. <i>loranthifolia</i> <i>Polycarpaea spirostylis</i> subsp. <i>glabra</i> (C.T. White & W.D. Francis) Pedley
Caryophyllaceae	* <i>Allocasuarina defungens</i> L. Johnson * <i>Allocasuarina glareicola</i> L. Johnson * <i>Allocasuarina portuensis</i> L. Johnson	* <i>Allocasuarina defungens</i> L.A.S. Johnson * <i>Allocasuarina glareicola</i> L.A.S. Johnson * <i>Allocasuarina portuensis</i> L.A.S. Johnson

NSW Threatened Species Scientific Committee

Chenopodiaceae	<i>Atriplex sturtii</i> S. Jacobs <i>Threlkeldia inchoata</i> (J. Black) J. Black	<i>Atriplex sturtii</i> S.W.L.Jacobs <i>Threlkeldia inchoata</i> (J.M.Black) J.M.Black
Convolvulaceae	<i>Ipomoea diamantinensis</i> J. Black <i>Ipomoea polymorpha</i> Roemer & Schultes	<i>Ipomoea diamantinensis</i> J.M.Black ex Eardley <i>Ipomoea polymorpha</i> Roem. & Schult.
Cupressaceae	<i>Callitris baileyi</i> C. White	<i>Callitris baileyi</i> C.T.White
Cyperaceae	<i>Cyperus conicus</i> (R. Br.) Boeck	<i>Cyperus conicus</i> (R.Br.) Boeckeler
Dilleniaceae	<i>Hibbertia hexandra</i> C. White	<i>Hibbertia hexandra</i> C.T. White
Dryopteridaceae	<i>Lastreopsis hispida</i> (Sw.) Tind. * <i>Polystichum moorei</i> H. Christ	<i>Lastreopsis hispida</i> (Sw.) Tindale * <i>Polystichum moorei</i> Christ
Ericaceae	* <i>Epacris hamiltonii</i> Maiden & E. Betche	* <i>Epacris hamiltonii</i> Maiden & Betche
Euphorbiaceae	* <i>Bertya ingramii</i> T. James	* <i>Bertya ingramii</i> T.A.James
Fabaceae	<i>Acacia chrysotricha</i> Tind * <i>Acacia gordonii</i> (Tind.) Pedley <i>Acacia rivalis</i> J. Black * <i>Acacia ruppii</i> Maiden & E. Betche * <i>Almaleea cambagei</i> (Maiden & E. Betche) Crisp & P. Weston <i>Indigofera leucotricha</i> E. Pritzel <i>Indigofera longibractea</i> J. Black <i>Swainsona adenophylla</i> J. Black * <i>Swainsona recta</i> A. Lee <i>Swainsona viridis</i> J. Black	<i>Acacia chrysotricha</i> Tindale * <i>Acacia gordonii</i> (Tindale) Pedley <i>Acacia rivalis</i> J.M.Black * <i>Acacia ruppii</i> Maiden & Betche * <i>Almaleea cambagei</i> (Maiden & Betche) Crisp & P.H.Weston <i>Indigofera leucotricha</i> E.Pritz. <i>Indigofera longibractea</i> J.M.Black <i>Swainsona adenophylla</i> J.M.Black * <i>Swainsona recta</i> A.T.Lee <i>Swainsona viridis</i> J.M.Black
Flacourtiaceae	<i>Xylosma terrae-reginae</i> C. White & Sleumer	<i>Xylosma terrae-reginae</i> C.T.White & Sleumer
Gentianaceae	* <i>Gentiana baeuerlenii</i> L. Adams * <i>Haloragodendron lucasii</i> (Maiden & E. Betche) Orch.	* <i>Gentiana baeuerlenii</i> L.G.Adams * <i>Haloragodendron lucasii</i> (Maiden & Betche) Orchard
Haloragaceae		
Lamiaceae	* <i>Plectranthus nitidus</i> P. Forst. * <i>Westringia kydrensis</i> Conn	* <i>Plectranthus nitidus</i> P.I.Forst. * <i>Westringia kydrensis</i> B.J.Conn

NSW Threatened Species Scientific Committee

Loranthaceae	* <i>Amyema plicatula</i> (Krause) Danser	* <i>Amyema plicatula</i> (K.Krause) Danser
	<i>Muellerina myrtifolia</i> (Cunn. ex Benth.) Barlow	<i>Muellerina myrtifolia</i> (A.Cunn. ex Benth.) Barlow
Myrtaceae	<i>Eucalyptus camphora</i> subsp. <i>relicta</i> L. Johnson & K. Hill	<i>Eucalyptus camphora</i> subsp. <i>relicta</i> L.A.S.Johnson & K.D.Hill
	* <i>Eucalyptus copulans</i> L. Johnson & K. Hill	* <i>Eucalyptus copulans</i> L.A.S.Johnson & K.D.Hill
	<i>Eucalyptus magnificata</i> L. Johnson & K. Hill	<i>Eucalyptus magnificata</i> L.A.S.Johnson & K.D.Hill
	<i>Eucalyptus microcodon</i> L. Johnson & K. Hill	<i>Eucalyptus microcodon</i> L.A.S.Johnson & K.D.Hill
	* <i>Eucalyptus parvula</i> L. Johnson & K. Hill	* <i>Eucalyptus parvula</i> L.A.S.Johnson & K.D.Hill
	<i>Eucalyptus saxatilis</i> Kirkpatr. & Brooker	<i>Eucalyptus saxatilis</i> J.B.Kirkp. & Brooker
Polypodiaceae	<i>Drynaria rigidula</i> (Sw.) Beddome	<i>Drynaria rigidula</i> (Sw.) Bedd.
Primulaceae	<i>Lysimachia vulgaris</i> var. <i>davurica</i> (Ledeb.) Knuth	<i>Lysimachia vulgaris</i> var. <i>davurica</i> (Ledeb.) R.Knuth
Proteaceae	* <i>Eidothea hardeniana</i> P. H. Weston & R.M. Kooyman	* <i>Eidothea hardeniana</i> P. H.Weston & Kooyman
	* <i>Grevillea acanthifolia</i> subsp. <i>paludosa</i> Makinson & Albrecht	* <i>Grevillea acanthifolia</i> subsp. <i>paludosa</i> Makinson & Albr.
	* <i>Grevillea beadleana</i> McGillivray	* <i>Grevillea beadleana</i> McGill.
	* <i>Grevillea guthrieana</i> P. Olde & N. Marriott	* <i>Grevillea guthrieana</i> Olde & Marriott
	* <i>Grevillea masonii</i> P. Olde & N. Marriott	* <i>Grevillea masonii</i> Olde & Marriott
	* <i>Grevillea mollis</i> P. Olde & Molyneux	* <i>Grevillea mollis</i> Olde & Molyneux
	* <i>Hakea pulvinifera</i> L. Johnson	* <i>Hakea pulvinifera</i> L.A.S.Johnson
	* <i>Persoonia mollis</i> subsp. <i>maxima</i> Krauss & L. Johnson	* <i>Persoonia mollis</i> subsp. <i>maxima</i> S.Krauss & L.A.S.Johnson
Rhamnaceae	<i>Pomaderris adnata</i> N.G. Walsh & F. Coates	<i>Pomaderris adnata</i> N.G.Walsh & Coates
	* <i>Pomaderris cotoneaster</i> Wakef.	* <i>Pomaderris cotoneaster</i> N.A.Wakef.
	<i>Pomaderris queenslandica</i> C. White	<i>Pomaderris queenslandica</i> C.T. White
	* <i>Pomaderris sericea</i> Wakef.	* <i>Pomaderris sericea</i> N.A.Wakef.
Rubiaceae	<i>Dentella minutissima</i> C. White & Francis	<i>Dentella minutissima</i> C.T.White & W.D.Francis
Rutaceae	* <i>Acronychia littoralis</i> T. Hartley & J. Williams	* <i>Acronychia littoralis</i> T.G.Hartley & J.B.Williams

NSW Threatened Species Scientific Committee

	* <i>Asterolasia elegans</i> McDougall & Porteners	* <i>Asterolasia elegans</i> L.McDougall & Porteners
	* <i>Boronia repanda</i> (F. Muell. ex E. Betché) Maiden & E. Betché	* <i>Boronia repanda</i> (F. Muell. ex Maiden & Betché) Maiden & Betché
	<i>Phebalium bifidum</i> P.H. Weston & M. Turton	<i>Phebalium bifidum</i> P.H.Weston & M.J.Turton
	<i>Zieria adenodonta</i> (F. Muell.) J.A. Armstrong	<i>Zieria adenodonta</i> (F.Muell.) J.A.Armstr.
	* <i>Zieria baeuerlenii</i> J.A. Armstrong	* <i>Zieria baeuerlenii</i> J.A.Armstr.
	* <i>Zieria citriodora</i> J.A. Armstrong	* <i>Zieria citriodora</i> J.A.Armstr.
	* <i>Zieria covenyi</i> J.A. Armstrong	* <i>Zieria covenyi</i> J.A.Armstr.
	* <i>Zieria floydii</i> J.A. Armstrong	* <i>Zieria floydii</i> J.A.Armstr.
	* <i>Zieria ingramii</i> J.A. Armstrong	* <i>Zieria ingramii</i> J.A.Armstr.
	* <i>Zieria lasiocaulis</i> J.A. Armstrong	* <i>Zieria lasiocaulis</i> J.A.Armstr.
	* <i>Zieria prostrata</i> J.A. Armstrong	* <i>Zieria prostrata</i> J.A.Armstr.
Santalaceae	<i>Santalum murrayanum</i> (Mitchell) Gardner	<i>Santalum murrayanum</i> (T.Mitch.) C.A.Gardner
Sapindaceae	<i>Dodonaea sinuolata</i> subsp. <i>acrodentata</i> J. West	<i>Dodonaea sinuolata</i> subsp. <i>acrodentata</i> J.G.West
Sapotaceae	<i>Niemeyera chartacea</i> (Bailey) C. White	<i>Niemeyera chartacea</i> (F.M.Bailey) C.T.White
Violaceae	<i>Viola cleistogamoides</i> (L. Adams) Seppelt	<i>Viola cleistogamoides</i> (L.G.Adams) Seppelt
Zamiaceae	<i>Macrozamia johnsonii</i> D.L. Jones & K. Hill	<i>Macrozamia johnsonii</i> D.L.Jones & K.D.Hill
Move this species to family Polypodiaceae		
Grammitaceae	<i>Grammitis stenophylla</i> B.S. Parris	<i>Grammitis stenophylla</i> Parris

NSW Threatened Species Scientific Committee

Division 4 Populations

Plants

Family	Current name in Schedule	Correct Authority and text spacing
Fabaceae	<i>Dillwynia tenuifolia</i> Sieber ex D.C.	<i>Dillwynia tenuifolia</i> DC.
	<i>Dillwynia tenuifolia</i> , Kemps Creek <i>Dillwynia tenuifolia</i> Sieber ex D.C.	<i>Dillwynia tenuifolia</i> , Kemps Creek <i>Dillwynia tenuifolia</i> DC.
	<i>Dillwynia tenuifolia</i> Sieber ex D.C. in the Baulkham Hills local government area <i>Lespedeza juncea</i> subsp. <i>sericea</i> (Thunb.) Steenis	<i>Dillwynia tenuifolia</i> in the Baulkham Hills local government area <i>Lespedeza juncea</i> subsp. <i>sericea</i> (Maxim.) Steenis
Myrtaceae	<i>Darwinia fascicularis</i> subsp. <i>oligantha</i> <i>Eucalyptus parramattensis</i> C. Hall. subsp. <i>parramattensis</i>	<i>Darwinia fascicularis</i> subsp. <i>oligantha</i> B.G.Briggs <i>Eucalyptus parramattensis</i> E.C.Hall subsp. <i>parramattensis</i>
	<i>Eucalyptus parramattensis</i> C. Hall. subsp. <i>parramattensis</i> in Wyong and Lake Macquarie local government areas	<i>Eucalyptus parramattensis</i> subsp. <i>parramattensis</i> in Wyong and Lake Macquarie local government areas
Rutaceae	<i>Zieria smithii</i> Jackson	<i>Zieria smithii</i> Jacks.

NSW Threatened Species Scientific Committee

Schedule 1 Threatened species

Part 3 Vulnerable species

Division 1 Animals

Vertebrates

Mammals

Family	Current name in Schedule	Add common name
	<i>Syconycteris australis</i> (Peters, 1867)	<i>Syconycteris australis</i> (Peters, 1867)
Pteropodidae	Common Blossom-bat	Common Blossom-bat, Eastern Blossom Bat

Division 3 Plants

Asteraceae	* <i>Brachyscome muelleroides</i> G.L.R. Davis	* <i>Brachyscome muelleroides</i> G.L.Davis
	* <i>Brachyscome papillosa</i> G.L.R. Davis	* <i>Brachyscome papillosa</i> G.L.Davis
	* <i>Ozothamnus tessellatus</i> (Maiden & R. Baker) Anderberg	* <i>Ozothamnus tessellatus</i> (Maiden & R.T.Baker) Anderb.
Casuarinaceae	* <i>Allocasuarina simulans</i> L. Johnson	* <i>Allocasuarina simulans</i> L.A.S.Johnson
Chenopodiaceae	* <i>Maireana cheelii</i> (R. Anderson) Paul G. Wilson	* <i>Maireana cheelii</i> (R.H.Anderson) Paul G.Wilson
Cunoniaceae	* <i>Acrophyllum australe</i> (Cunn.) Hoogl.	* <i>Acrophyllum australe</i> (A.Cunn.) Hoogland
Cupressaceae	* <i>Callitris oblonga</i> A. Rich. & Rich.	* <i>Callitris oblonga</i> Rich. & A.Rich.
Dilleniaceae	* <i>Hibbertia marginata</i> Conn	* <i>Hibbertia marginata</i> B.J.Conn
Ericaceae	* <i>Styphelia perileuca</i> J. Powell	* <i>Styphelia perileuca</i> J.M.Powell
Euphorbiaceae	* <i>Baloghia marmorata</i> C. White	* <i>Baloghia marmorata</i> C.T.White
	<i>Acacia baueri</i> subsp. <i>aspera</i> (Maiden & E. Betche) Pedley	<i>Acacia baueri</i> subsp. <i>aspera</i> (Maiden & Betche) Pedley
Fabaceae	* <i>Acacia constablei</i> Tind.	* <i>Acacia constablei</i> Tindale
	* <i>Acacia courtii</i> Tind. & Herscovitch	* <i>Acacia courtii</i> Tindale & Herscovitch
	* <i>Acacia georgensis</i> Tind.	* <i>Acacia georgensis</i> Tindale

NSW Threatened Species Scientific Committee

	<i>Archidendron hendersonii</i> (F. Muell.) Nielsen	<i>Archidendron hendersonii</i> (F. Muell.) I.C. Nielsen
	* <i>Bossiaea oligosperma</i> A. Lee	* <i>Bossiaea oligosperma</i> A.T. Lee
	* <i>Kennedia retrorsa</i> Hemsley	* <i>Kennedia retrorsa</i> Hemsl.
	* <i>Swainsona pyrophila</i> J. Thompson	* <i>Swainsona pyrophila</i> Joy Thomps.
	<i>Swainsona sericea</i> (A. Lee) J. Black ex H. Eichler	<i>Swainsona sericea</i> (A.T. Lee) J.M. Black ex H. Eichler
Gentianaceae	* <i>Gentiana wissmannii</i> J. Williams	* <i>Gentiana wissmannii</i> J.B. Williams
Haloragaceae	* <i>Haloragis exalata</i> subsp. <i>velutina</i> Orch.	* <i>Haloragis exalata</i> subsp. <i>velutina</i> Orchard
	* <i>Prostanthera cryptandroides</i> Cunn. ex Benth. subsp. <i>cryptandroides</i>	* <i>Prostanthera cryptandroides</i> A. Cunn. ex Benth. subsp. <i>cryptandroides</i>
Lamiaceae	* <i>Prostanthera discolor</i> R. Baker	* <i>Prostanthera discolor</i> R.T. Baker
	* <i>Prostanthera stricta</i> R. Baker	* <i>Prostanthera stricta</i> R.T. Baker
	* <i>Westringia davidii</i> Conn	* <i>Westringia davidii</i> B.J. Conn
Lauraceae	* <i>Cryptocarya foetida</i> R. Baker	* <i>Cryptocarya foetida</i> R.T. Baker
Myrtaceae	* <i>Angophora robur</i> L. Johnson & K. Hill	* <i>Angophora robur</i> L.A. S. Johnson & K.D. Hill
	* <i>Darwinia biflora</i> (Cheel) B. Briggs	* <i>Darwinia biflora</i> (Cheel) B.G. Briggs
	<i>Darwinia peduncularis</i> B. Briggs	<i>Darwinia peduncularis</i> B.G. Briggs
	* <i>Eucalyptus aggregata</i> Deane & Maiden, Black Gum	* <i>Eucalyptus aggregata</i> H. Deane & Maiden
	* <i>Eucalyptus aquatica</i> (Blakely) L. Johnson & K. Hill	* <i>Eucalyptus aquatica</i> (Blakely) L.A.S. Johnson & K.D. Hill
	* <i>Eucalyptus caleyi</i> subsp. <i>ovendenii</i> L. Johnson & K. Hill	* <i>Eucalyptus caleyi</i> subsp. <i>ovendenii</i> L.A.S. Johnson & K.D. Hill
	<i>Eucalyptus cannonii</i> R. Baker	<i>Eucalyptus cannonii</i> R.T. Baker
	* <i>Eucalyptus glaucina</i> Blakely	* <i>Eucalyptus glaucina</i> (Blakely) L.A.S. Johnson
	* <i>Eucalyptus kartzoffiana</i> L. Johnson & Blaxell	* <i>Eucalyptus kartzoffiana</i> L.A.S. Johnson & Blaxell
	* <i>Eucalyptus langleyi</i> L. Johnson & Blaxell	* <i>Eucalyptus langleyi</i> L.A.S. Johnson & Blaxell
	<i>Eucalyptus oresbia</i> Hunter and Bruhl	<i>Eucalyptus oresbia</i> J.T. Hunter & J.J. Bruhl
	* <i>Eucalyptus parramattensis</i> subsp. <i>decadens</i> L. Johnson & Blaxell	* <i>Eucalyptus parramattensis</i> subsp. <i>decadens</i> L.A.S. Johnson & Blaxell

NSW Threatened Species Scientific Committee

	* <i>Eucalyptus robertsonii</i> subsp. <i>hemisphaerica</i> L. Johnson & K. Hill	* <i>Eucalyptus robertsonii</i> subsp. <i>hemisphaerica</i> L.A.S.Johnson & K.D.Hill
	* <i>Eucalyptus rubida</i> subsp. <i>barbigerorum</i> L. Johnson & K. Hill	* <i>Eucalyptus rubida</i> subsp. <i>barbigerorum</i> L.A.S.Johnson & K.D.Hill
	<i>Eucalyptus sturgissiana</i> L. Johnson & Blaxell	<i>Eucalyptus sturgissiana</i> L.A.S.Johnson & Blaxell
	* <i>Eucalyptus tetrapleura</i> L. Johnson	* <i>Eucalyptus tetrapleura</i> L.A.S.Johnson
	* <i>Homoranthus darwinioides</i> (Maiden & E. Betche) Cheel	* <i>Homoranthus darwinioides</i> (Maiden & Betche) Cheel
	* <i>Kunzea cambagei</i> Maiden & E. Betche	* <i>Kunzea cambagei</i> Maiden & Betche
	* <i>Leptospermum deanei</i> J. Thompson	* <i>Leptospermum deanei</i> Joy Thomps.
	* <i>Leptospermum thompsonii</i> J. Thompson	* <i>Leptospermum thompsonii</i> Joy Thomps.
	<i>Melaleuca groveana</i> Cheel & C. White	<i>Melaleuca groveana</i> Cheel & C.T.White
	* <i>Micromyrtus blakelyi</i> J. Green	* <i>Micromyrtus blakelyi</i> J.W.Green
	* <i>Syzygium hodgkinsoniae</i> (F. Muell.) L. Johnson	* <i>Syzygium hodgkinsoniae</i> (F.Muell.) L.A.S.Johnson
	* <i>Syzygium moorei</i> (F. Muell.) L. Johnson	* <i>Syzygium moorei</i> (F.Muell.) L.A.S.Johnson
Proteaceae	* <i>Floydia praealta</i> (F. Muell.) L. Johnson & B. Briggs	* <i>Floydia praealta</i> (F.Muell.) L.A.S.Johnson & B.G.Briggs
	* <i>Grevillea banyabba</i> P. Olde & N. Marriott	* <i>Grevillea banyabba</i> Olde & Marriott
	* <i>Grevillea evansiana</i> McKee	* <i>Grevillea evansiana</i> MacKee
	* <i>Grevillea molyneuxii</i> D.J. McGillivray	* <i>Grevillea molyneuxii</i> McGill.
	* <i>Grevillea quadricauda</i> P. Olde & N. Marriott	* <i>Grevillea quadricauda</i> Olde & Marriott
	* <i>Grevillea rhizomatosa</i> P. Olde & N. Marriott	* <i>Grevillea rhizomatosa</i> Olde & Marriott
	<i>Grevillea scortechinii</i> subsp. <i>sarmentosa</i> (Blakely & McKie) McGillivray	<i>Grevillea scortechinii</i> subsp. <i>sarmentosa</i> (Blakely & McKie) McGill.
	* <i>Macadamia tetraphylla</i> L. Johnson	* <i>Macadamia tetraphylla</i> L.A.S.Johnson
	* <i>Persoonia acerosa</i> Sieber ex Schultes & Schultes f.	* <i>Persoonia acerosa</i> Sieber ex Schult. & Schult.f.
	* <i>Persoonia marginata</i> Cunn. ex R. Br.	* <i>Persoonia marginata</i> A.Cunn. ex R.Br.
Rhamnaceae	<i>Pomaderris bodalla</i> N.G. Walsh & F. Coates	<i>Pomaderris bodalla</i> N.G.Walsh & Coates

NSW Threatened Species Scientific Committee

	* <i>Pomaderris gilmourii</i> var. <i>cana</i> N. Walsh	* <i>Pomaderris gilmourii</i> var. <i>cana</i> N.G.Walsh
	* <i>Pomaderris pallida</i> Wakef.	* <i>Pomaderris pallida</i> N.A.Wakef.
	* <i>Pomaderris parrisiae</i> N. Walsh	* <i>Pomaderris parrisiae</i> N.G.Walsh
Rutaceae	* <i>Boronia deanei</i> Maiden & E. Betche	* <i>Boronia deanei</i> Maiden & Betche
	* <i>Boronia granitica</i> Maiden & E. Betche	* <i>Boronia granitica</i> Maiden & Betche
	* <i>Boronia umbellata</i> P. Weston	* <i>Boronia umbellata</i> P.H.Weston
	* <i>Nematolepis rhytidophylla</i> (Alb. & N.G. Walsh) Paul G. Wilson	* <i>Nematolepis rhytidophylla</i> (Albr. & N.G.Walsh) Paul G.Wilson
	* <i>Zieria tuberculata</i> J.A. Armstrong	* <i>Zieria tuberculata</i> J.A.Armstr.
Symplocaceae	* <i>Symplocos baeuerlenii</i> R. Baker	* <i>Symplocos baeuerlenii</i> R.T.Baker
Winteraceae	* <i>Tasmannia glaucifolia</i> J. Williams	* <i>Tasmannia glaucifolia</i> J.B.Williams
	<i>Tasmannia purpurascens</i> (Vick.) A.C. Smith	<i>Tasmannia purpurascens</i> (Vickery) A.C.Sm.

NSW Threatened Species Scientific Committee

Schedule 3 Extinct species, species extinct in the wild and collapsed ecological communities

Part 1 Extinct species

Division 1 Animals

Division 2 Plants

Acanthaceae **Rhaphidospora bonneyana* (F. Muell.) R. Barker
Asteraceae *Blumea lacera* (Burman f.) DC.
 **Senecio behrianus* Sonder & F. Muell.
Chenopodiaceae *Atriplex acutiloba* R. Anderson
 Maireana lanosa (Lindley) Paul G. Wilson
Proteaceae **Persoonia laxa* L. Johnson & P. Weston
Rutaceae *Micromelum minutum* (Forster f.) Wight & Arn.

**Rhaphidospora bonneyana* (F. Muell.) R.M. Barker
Blumea lacera (Burm.f.) DC.
**Senecio behrianus* Sond. & F. Muell.
Atriplex acutiloba R.H. Anderson
Maireana lanosa (Lindl.) Paul G. Wilson
**Persoonia laxa* L.A.S. Johnson & P.H. Weston
Micromelum minutum (G. Forst.) Wight & Arn.

Dr Anne Kerle
Chairperson
NSW Threatened Species Scientific Committee